

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/609,069	06/27/2003	K. Scott Weil	12903-B	7459
Douglas F. Mc	7590 02/06/2008 Douglas E. McKinley, Jr.		EXAMINER	
McKinley Law Office			ECHELMEYER, ALIX ELIZABETH	
P.O. Box 202 Richland, WA 99352			ART UNIT	PAPER NUMBER
			1795	
			MAIL DATE	DELIVERY MODE
			02/06/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

	Application No.	Applicant(s)				
Office Action Summary	10/609,069	WEIL ET AL.				
Office Action Summary	Examiner	Art Unit				
TI MANUNC DATE of this communication and	Alix Elizabeth Echelmeyer	1795				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period was realized to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tin vill apply and will expire SIX (6) MONTHS from 1, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1) Responsive to communication(s) filed on 19 No.	ovember 2007.					
2a)⊠ This action is FINAL . 2b)☐ This	This action is FINAL. 2b) This action is non-final.					
<i>;</i> —	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims						
4) Claim(s) <u>1-21</u> is/are pending in the application.						
4a) Of the above claim(s) is/are withdrawn from consideration.						
5) . Claim(s) is/are allowed.						
6)⊠ Claim(s) <u>1-21</u> is/are rejected.						
7) Claim(s) is/are objected to.						
8) Claim(s) are subject to restriction and/o	r election requirement.					
Application Papers						
9) The specification is objected to by the Examine	r					
10) The drawing(s) filed onis/ are: a) acc		Examiner.				
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).						
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).						
11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.						
Priority under 35 U.S.C. § 119						
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).						
a) All b) Some * c) None of:						
1. Certified copies of the priority documents have been received.						
2. Certified copies of the priority documents have been received in Application No						
3. Copies of the certified copies of the priority documents have been received in this National Stage						
application from the International Bureau (PCT Rule 17.2(a)).						
* See the attached detailed Office action for a list of the certified copies not received.						
Attachment(s)						
1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08)	Paper No(s)/Mail D 5) Notice of Informal F					
Paper No(s)/Mail Date 6) Other:						

Application/Control Number: 10/609,069 Page 2

Art Unit: 1795

DETAILED ACTION

Response to Amendment

1. This Office Action is in response to the amendment filed November 19, 2007.

Claims 1 and 13 have been amended. Claims 1-21 are pending and are rejected finally for the reasons given below.

Specification

2. The amendment to the Specification is acknowledged. The amendment appears to be acceptable.

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 1, 3, 8-15 and 17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Haltiner et al. (US 2003/0235746) in view of Thomas et al. (US 2005/0074659).

Art Unit: 1795

Haltiner et al. teach a solid oxide fuel cell (SOFC) having sheet metal parts stamped from flat stock (abstract, [0009], [0010]). The parts, including a mounting frame for a positive electrode – electrolyte – negative electrode (PEN) and a separator plate, are used to form modules, or cells (abstract, [0009]). Those modules can then be stacked to form a fuel cell stack (Fig. 7, [0032]). Haltiner et al. also teach the use of current collectors which may be connected across a load (Fig. 3, [0003], [0025]). Glass seals are used between the modules. A glass layer or ceramic adhesive is applied prior to assembly, then the stack is "subjected to high pressure ad temperature, whereby the glass seals are liquefied and fused" ([0032]).

Regarding claim 1, the SOFC modules of Haltiner et al. contain a stamped separator plate, a stamped frame, a PEN attached to the frame, and the frame attached to the separator plate. Regarding claims 3 and 17, the SOFC of Haltiner et al. contains current collectors that are in communication with the separator plate. Applicants' claim 8 is for a method of making a SOFC stack, and claim 13 is a SOFC stack. Haltiner et al. teach the combination of several modules to form a stack as well as the sealing of the modules.

Applicants' claims 9-12, 14, and 15 are drawn to the method of sealing a SOFC stack and the seal on the SOFC stack. Haltiner et al. teach insulating seals made of glass or a ceramic. The seal is formed by exposure to high temperature and pressure. Further, Haltiner et al. teach the connection of separator plates and frames by brazing.

Art Unit: 1795

As for the limitation in claims 1 and 13 requiring a support bump in the frame or separator plate, Haltiner et al. fail to teach a support bump.

Thomas et al. teach gas flow control formations, or support bumps, that serve as spacers to control the spacing of the separator plate in the fuel cell ([0021]).

It would be desirable to use gas flow control formations, or support bumps, on the separator of Haltiner et al. such as taught by Thomas et al., since such support bumps would ensure proper spacing in the cell, which might allow for gas to flow in the absence of a gas diffusion layer, or would ensure that the proper amount of gas could be made available since there would be sufficient space for the gas due to the spacers.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use gas flow control formations, or support bumps, on the separator of Haltiner et al. such as taught by Thomas et al., since such support bumps would ensure proper spacing in the cell, which might allow for gas to flow in the absence of a gas diffusion layer, or would ensure that the proper amount of gas could be made available since there would be sufficient space for the gas due to the spacers.

5. Claims 2 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Haltiner et al. in view Thomas et al. as applied to claims 1 and 13, above and in further view of Carolan et al. (US Patent Number 5,750,279).

The teachings of Haltiner et al. and Thomas et al. as discussed above are incorporated herein.

Haltiner et al. in view Thomas et al. teach a fuel cell stack and the method of making it wherein the stack is made up of modules. The modules are formed by frames containing a PEN, which are connected to separator plates. Haltiner et al. in view Thomas et al. fail to teach the use of 400 series stainless steel as the material for the frames and separators.

Carolan et al. teach that stainless steel (400 series) is suitable for use in SOFC's because it is resistant to corrosion and oxidation.

It would be favorable to use 400 series stainless steel as taught by Carolan et al. in the SOFC of Haltiner et al. in view Thomas et al. because 400 series stainless steel can be stamped as required in Haltiner et al. in view Thomas et al., and it is also resistant to corrosion and oxidation.

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to use the 400 series stainless steel of Carolan et al. in the SOFC of Haltiner et al. in view Thomas et al. because 400 series stainless steel is resistant to corrosion and oxidation.

6. Claims 4-7 and 18-21 rejected under 35 U.S.C. 103(a) as being unpatentable over Haltiner et al. in view Thomas et al. and Carolan et al. as applied to claims 3 and 17 above, and in further view of James et al. (US Patent Number 5,766,789 A).

The teachings of Haltiner et al., Thomas et al. and Carolan et al. discussed above are incorporated herein.

Haltiner et al. in view Thomas et al. and Carolan et al. teach the use of a 400 series stainless steel electrically conducting interconnect. Haltiner et al. in view Thomas et al. and Carolan et al. fail to teach the use of a flexible material such as a screen for those interconnects.

James et al. teach the use of a screen as a flexible material for an interconnect (column 3 lines 24-26). James et al further teach a compound containing mostly (76%) nickel for the formation of the screen used as the current collector in the anode.

By forming the current collector of Haltiner et al. in view Thomas et al. and Carolan et al. with the screen of James et al., a current collector made from a flexible, electrically conductive material is made.

Therefore, it would have been obvious to one having ordinary skill in the art at the time of the invention to make the current collector of Haltiner et al. in view Thomas et al. and Carolan et al. with the screen of James et al. in order to make a flexible, electrically conductive current collector.

Response to Arguments

7. Applicant's arguments filed November 19, 2007 have been considered but are most in view of the new ground(s) of rejection, see above.

Conclusion

8. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP

Application/Control Number: 10/609,069

Art Unit: 1795

Workfor Hambor: Toroco

§ 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alix Elizabeth Echelmeyer whose telephone number is (571)272-1101. The examiner can normally be reached on Mon-Fri 8-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Susy N. Tsang-Foster can be reached on 571-272-1293. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/609,069 Page 8

Art Unit: 1795

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Alix Elizabeth Echelmeyer Examiner Art Unit 1795

aee

SUSY TSANG-FOSTER SUPERVISORY PATENT EXAMINER